



Deburring tool for
ejector pin marks

EP cutter



Dedicated adapter


EP cutter

KREUZ Co.,LTD.

EPcutter --Deburring tool for ejector pin marks

Just 1 second finish by pushing

Finish to clean the ejector pin mark by rotated pushing cutter just 1 second. It is possible to remove only burr (without no damage) by special holder which mounted floating function in it and special shaped cutter.




【Before pin cutter pushing】



【After pin cutter pushing】

Two type dedicated holders

The EP cutter is used by attaching to the dedicated holder. There are two types of dedicated holders for each mounting method so that they can be used for deburring machines, special purpose machines, and machine tools.



Economical cutter

Only burrs can be removed due to the special shaped blade, and the service life is significantly longer and more economical more than brush. Easy replacement by screwing into the holder, and this cutter is attachable to any holder.



【Special blade shape】




【Neck swing type】 Possible to solve by using this neck swing type when the partial contact occurs in distortion or jig.

EP cutter

Please contact us if you would like to change the total length and outer.

EP-Φ16


Solid type



Material: Tool steel

EP-Φ16
AT


Neck swing
type




Material: Tool steel (blade)

Dedicated holder

TF-SS10




Press	Mass	Maximum rotation speed	Direction of rotation
-------	------	------------------------	-----------------------




230g 5000min⁻¹ Right


Attach the EP-Φ16



TF-SA10




Press	Mass	Maximum rotation speed	Direction of rotation
-------	------	------------------------	-----------------------



150g 5000min⁻¹ Right

Attach the EP-Φ16





KREUZ Co., Ltd

102-7 Jindoike, Noda-cho, Kariya, Aichi, 444-0803 JAPAN
TEL:+81-566-22-5263 FAX:+81-566-25-3339

※All rights reserved. 2021 KREUZ Co.,Ltd.
※Tool specifications are subject to change without notice.